SCIRUS
for scientific information only

About Us | Newsroom | Advisory Board | Submit Web Site | Help | Contact Us

Basic Search Advanced Search Search Preferences

von AND willebrand AND disease AND type AND II [Search]

☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:**von** AND **willebrand** AND **disease** AND **type** AND **II**

Found:: :**627 total** | **151 journal results** | **36 preferred web results** | **440 other web results**

Sort by:: :**relevance** | **date**

Save checked results | Email checked results | Export checked results

☐ **1.** Development of a collagen-binding activity assay as a screening test for type II von Willebrand disease in dogs.
Elizabeth Peet Sabino / Hollis N Erb / James L Catalfamo, *J Am Vet Med Assoc*, Feb 2006
...activity (CBA) to screen for **type II von Willebrand disease** (vWD) in dogs. Sample Population-293...samples from dogs with inherited **type II** or III vWD. Procedure-Bovine...discriminate between type I and **type II** vWD. Results-An assay for canine...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **2.** Development of a collagen-binding activity assay as a screening test for type II von Willebrand disease in dogs.
Elizabeth Peet Sabino / Hollis N Erb / James L Catalfamo, *Am J Vet Res*, Feb 2006
Objective-To develop an assay to measure canine von Willebrand factor (vWF):collagen-binding activity (CBA) to screen for type 2 **von Willebrand disease** (vWD) in dogs. Sample Population-293 plasma samples submitted for analysis of canine vWF antigen (vWF:Ag) and 12 control...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **3.** A new variant of von Willebrand disease (type II I) with a normal degree of proteolytic cleavage of von Willebrand factor.
G Castaman / F Rodeghiero / A Lattuada / P M Mannucci, *Thromb Res*, Feb 1992
A variant of **type II von Willebrand disease** (vWd) is described in a young woman and her mother with severe lifelong bleeding histories...this variant of vWd appears to differ from those reported hitherto, the designation of **type II** I is proposed.

Your query was rev
"von willebrand dis
AND "type ii"
We did this by add
quotes to common
and by removing n
essential words.
- Repeat without

Refine your sear
using these key
found in the res
acquired von willel
disease
adolescent
base sequence
blood platelets
cofactor activity
collagen
factor antigen
haemostasis
hemostasis
molecular sequenc
plasma vwf
polymerase chain
research support,
gov't, p.h.s.
von willebrand fac
von willebrand fac
multimers
Or refine using:
All of the words

MEDLINE/PubMed Citation on PubMed

Refine

view all 90 results from MEDLINE/PubMed
similar results

☐ **4.** Type II H von Willebrand disease: new structural abnormality of plasma and platelet von Willebrand factor in a patient with...
A B Federici / P M Mannucci / R Lombardi / A Lattuada / M L Colibretti / J A Dent / T S Zimmerman, *Am J Hematol*, Dec 1989
In this study a new variant of **type II von Willebrand disease** is identified by multimeric analyses of increasing resolving power...described. Therefore the proposed designation for this new variant is **type II** H.

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **5.** A new variant of type II von Willebrand disease with aberrant multimeric structure of plasma but not platelet von Willebrand...
P M Mannucci / R Lombardi / A B Federici / J A Dent / T S Zimmerman / Z M Ruggeri, *Blood*, Jul 1986
...diagnosed as having **Type II von Willebrand disease**. The larger multimers...This new variant of **von Willebrand disease**, therefore, is characterized...proposed for this type of **von Willebrand disease** in accordance with...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **6.** von Willebrand Disease Associated with Superficial Temporal Artery Pseudoaneurysm
Ricciardo, B.J. / Mwipatayi, B.P. / Abbas, M. / Sieunarine, K. / Eikelboom, J.W., *European Journal of Vascular & Endovascular Surgery*, Sep 2005
...two patients with **von Willebrand disease** (vWD) that presented...Keywords Pseudoaneurysm **von Willebrand disease** Collagen Temporal artery **von Willebrand disease** is a common bleeding...III) or dysfunction (**type II**) of von Willebrand...
Published journal article available from SCIENCE DIRECT
view all 61 results from ScienceDirect
similar results

☐ **7.** Multiple normal deliveries in a woman with severe portal hypertension due to congenital hepatic fibrosis: the importance of...
Ayse L Mindikoglu / Arie Regev / Mary J O'Sullivan / Eugene R Schiff, *Am J Gastroenterol*, Oct 2005
...26-year-old woman with congenital hepatic fibrosis (CHFib), adult polycystic kidney disease, **type II** diabetes mellitus, and **von Willebrand disease**, who despite persistent advice to the contrary because of severe portal hypertension, had 5...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **8.** A molecular approach to the classification of von Willebrand disease
Schneppenheim, R. / Budde, U. / Ruggeri, Z.M., *Best Practice &*

Research in Clinical Haematology, Jun 2001
...B A new variant of **type II von Willebrand disease** with aberrant multimeric...McKeown L P A variant of **type II von Willebrand disease** with an abnormal triplet...M A new variant of **von Willebrand disease** (**type II** I) with a normal degree...
Published journal article available from SCIENCE DIRECT
view all 61 results from ScienceDirect
similar results

☐ **9.** Management of inherited von Willebrand disease
Mannucci, P.M. / Federici, A.B., *Best Practice & Research in Clinical Haematology*, Jun 2001
...vasopressin (DDAVP) in **type II** B **von Willebrand disease** New England Journal of...R DDAVP for type IIB **von Willebrand disease** Blood 74 1989 1859 1860...vasopressin (DDAVP) in **type II** B **von Willebrand disease** European Journal of Haematology...
Published journal article available from SCIENCE DIRECT
view all 61 results from ScienceDirect
similar results

☐ **10.** A molecular approach to the classification of von Willebrand disease
Schneppenheim, R. / Budde, U. / Ruggeri, Z.M., *Best Practice & Research in Clinical Haematology*, Jun 2001
...B A new variant of **type II von Willebrand disease** with aberrant multimeric...McKeown L P A variant of **type II von Willebrand disease** with an abnormal triplet...M A new variant of **von Willebrand disease** (**type II** I) with a normal degree...
Published journal article available from SCIENCE DIRECT
view all 61 results from ScienceDirect
similar results

☐ **11.** Management of inherited von Willebrand disease
Mannucci, P.M. / Federici, A.B., *Best Practice & Research in Clinical Haematology*, Jun 2001
...vasopressin (DDAVP) in **type II** B **von Willebrand disease** New England Journal of...R DDAVP for type IIB **von Willebrand disease** Blood 74 1989 1859 1860...vasopressin (DDAVP) in **type II** B **von Willebrand disease** European Journal of Haematology...
Published journal article available from SCIENCE DIRECT
view all 61 results from ScienceDirect
similar results

☐ **12.** A new variant of von willebrand disease (type II I) with a normal degree of proteolytic cleavage of von Willebrand...
Castaman, G. / Rodeghiero, F. / Lattuada, A. / Mannucci, P.M., *Thrombosis Research*, Feb 1992
A variant of type II von Willebrand disease (vWd) is described in a young woman and her mother with severe lifelong bleeding histories. On electrophoresis with low-resolution agarose gels the plasma of the proband lacked large and...
Published journal article available from SCIENCE DIRECT
view all 61 results from ScienceDirect
similar results

☐ **13.** Identification of a new candidate mutation, G1629R, in a family with type 2A von Willebrand disease.
P Casaña / F Martínez / S Haya / J A Aznar, *Am J Hematol*, Apr 1999
Type 2A is a qualitative variant of **von Willebrand disease** (vWD)

characterized by a reduced platelet-dependent function, associated with an absence of large multimers. A G5135A transition...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **14.** Influence of mutations and size of multimers in type II von Willebrand disease upon the function of von Willebrand factor.
O Christophe / A S Ribba / D Baruch / B Obert / C Rouault / K Niinomi / G Piétu / (...) / J P Girma, *Blood*, Jun 1994
...factor (vWF) from normal individuals and from two patients with type IIA (Glu875Lys) and type IIB (duplication of Met 540) **von Willebrand disease** (vWD) with the corresponding fully multimerized recombinant proteins. We included cryosupernatant from normal human plasma...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **15.** New variant of von Willebrand disease type II with markedly increased levels of von Willebrand factor antigen and dominant...
M R Ledford / I Rabinowitz / J E Sadler / J W Kent / F Civantos, *Blood*, Jul 1993
A variant of **von Willebrand disease** (vWD) was identified in six members of a kindred spanning four generations. The proband was a 46-year-old woman with a lifelong...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **16.** A variant of type II von Willebrand disease with an abnormal triplet structure and discordant effects of protease inhibitors...
H R Gralnick / S B Williams / L P McKeown / P Maisonneuve / C Jenneau / Y Sultan, *Am J Hematol*, Mar 1987
...characterized the plasma and platelet von Willebrand factor (vWf) multimeric structure of a patient with **von Willebrand disease** (vWd) as having a long bleeding time, no aggregation of her platelet-rich plasma (PRP) to ristocetin, and...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **17.** von Willebrand disease and other inherited bleeding disorders in women with diagnosed menorrhagia
Dilley, A. / Drews, C. / Miller, C. / Lally, C. / Austin, H. / Ramaswamy, D. / Lurye, D. / Evatt, B., *Obstetrics and Gynecology*, Apr 2001
...is a common symptom of **von Willebrand disease**. 8,9 **von Willebrand disease** is a genetic condition...type III) or quality (**type II**) of von Willebrand factor...disorders, most of which were **von Willebrand disease**, in 17 and 37% of women...

Published journal article available from SCIENCE DIRECT

view all 61 results from ScienceDirect
similar results

☐ **18.** Investigation of type IIC von Willebrand disease.
H Uno / N Nishida / J Ishizaki / M Suzuki / T Nishikubo / S Miyata / Y Takahashi / (...) / K Tsuda, *Int J Hematol*, Apr 1994
Type II von Willebrand disease (vWD) is characterized by qualitative abnormality of von Willebrand factor (vWF). It is characterized by the absence of the largest...

MEDLINE/PubMed Citation on PubMed

view all 90 results from MEDLINE/PubMed
similar results

☐ **19.** Studies of vWF-botrocetin complex in patients with different subtypes of type ii von willebrand disease - F.I.Pareti,...
Thrombosis Research, Jan 1993
Published journal article available from SCIENCE DIRECT

view all 61 results from ScienceDirect
similar results

☐ **20.** Apparent autosomal recessive inheritance in patients with type II a von Willebrand disease - N. Ciavarella, G. C....
Thrombosis Research, Jan 1991
Published journal article available from SCIENCE DIRECT

view all 61 results from ScienceDirect
similar results

fast

Results Pages: [<< Prev] 1 2 3 4 5 6 7 8 [Next >>] back to top

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5321127").PN.	USPAT; USOCR	OR	OFF	2006/03/25 11:37
S3	29289	His with val	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 11:39
S4	0	S3 same GP1b$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 11:44
S5	74	glycocalicin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 11:45
S8	142491	latex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 14:34
S7	17	S6 and (ELISA RIA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 14:34
S12	4	S11 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 14:38
S13	31	S8 same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:44
S17	100	S15 same S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45
S16	587401	GP$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45

EAST Search History

S15	834	ristocetin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45
S6	30	S5 and ristocetin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45
S20	1	("4935339").PN.	USPAT; USOCR	OR	OFF	2006/03/25 16:31
S21	305019	(agglutinat$5 aggregat$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S11	76	S9 same ristocetin same Gp$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S10	152	S9 same ristocetin and Gp$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S9	22530	platelet with (agglutinat$5 aggregat$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S22	5286	(von with willebrand with factor vWF)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:49
S18	60	S17 and (von with willebrand with disease vWD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:49
S14	1	("5231033").PN.	USPAT; USOCR	OR	OFF	2006/03/25 16:49
S26	24	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:50

EAST Search History

S25	142491	latex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:50
S23	373	S21 same Gp$3 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:50
S19	13	S17 same (von with willebrand with disease vWD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:22
L5	22532	platelet with (agglutinat$5 aggregat$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:23
L7	1521	latex same ELISA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:30
L6	15	L5 same ((light near5 scattering) turbidimetr$3 ((electric magentic) adj2 field)) with detect$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:30
L8	771	latex near3 (bead particle)same ELISA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:31

PALM Intranet

Application Number [ ] SEARCH

IDS Flag Clearance for Application 10019740

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	10-24-2005	27	☑	11-04-2005 08:46:18 cthomas4
M844	01-18-2006	31	☑	01-31-2006 12:07:32 fmercer

UPDATE